

eBrochure	<i>machine:</i> Automatic Griller (mobile)
	<i>model:</i> KSE-GL40M



What is an Automatic Griller?	Grills your Satay, Yakitori or any on-stick product to perfection in just 1 round automatically.
--------------------------------------	---------------------------------------------------------------------------------------------------------

<p><u>DESCRIPTION</u></p> <p>We use ceramic heaters that reach temperatures of 650°C, with 3 grilling speeds of slow, medium or fast. Automatic Griller will finish the grilling in just 1 round.</p> <p>The shortened grilling time translates to juicer and tender product as it reduces the moisture lost compared to charcoal or fire grilling.</p> <p>Capable of reaching output of up to 850 sticks per hour at the fastest speed.</p>

FEATURES

100% grilled in just one round

Our Automatic Griller reaches up to 650°C range. With dual rows of heater on each side, ensuring a very consistent heating.





3 speed mode

The machine has 3 speeds of low, medium and fast. At the fastest, an output of around 800 and more sticks per hour is achievable.

Easy Grippers

Our Easy Grippers allow users to remove and put back without any tools. Making cleaning and maintenance as easy as 123.



Cleaning and maintenance

Everything that needs washing can be easily removed and put back, giving the users a much easier time.

Mobile model

Has a control panel integrated with the body for mobility and seamless design.





Tabletop model

Has an external control panel that can be installed at the user's preference.

Machine can be placed on top of a table or counter top.

TECHNICAL SPECIFICATIONS

No. of grippers	38
No. of ceramic heaters	16
Temperature	Up to 650°C maximum
Time to heat till 650°C	6 minutes
Time to cool till 31	45 minutes
Time for 1 cycle - SLOW	3.5 minutes
Time for 1 cycle - MEDIUM	2.5 minutes
Time for 1 cycle - FAST	2.5 minutes
No. of sticks per hour - SLOW	350 sticks
No. of sticks per hour - MEDIUM	550 sticks
No. of sticks per hour - FAST	850 sticks
Operating voltage	3 phase, 415V, 50Hz
Power consumption	7 kW/hr
Materials for machine	Stainless Steel 304 & 316
Weight	125kg
Dimension (L x W x H)	1200mm x 620mm x 1350mm